

XelBob-tab

XelBob-tab est le produit de l'association entre [Xelyos](#) et [Bob's&Co](#). Cette tablette utilisable sur FiveM vous permet d'afficher le contenu de sites internet directement sur votre serveur.

XelBob-tab is the result of the partnership between [Xelyos](#) and [Bob's&Co](#). This tablet, usable on FiveM, allows you to display the content of websites directly on your server.

- [FR](#)

- [Présentation](#)
- [Installation](#)
- [Fichier de configuration](#)
- [Configuration des sites](#)
- [Configurer l'affichage de la météo easytime](#)

- [EN](#)

- [Presentation](#)
- [Installation](#)
- [Configuration file](#)
- [Web site configuration](#)
- [Configure the easytime weather display](#)

FR

Le XelBob-tab est le produit de l'association entre Xelyos et Bob's&Co. Cette tablette utilisable sur Fivem vous permet d'afficher le contenu de sites internet directement sur votre serveur.

FR

Présentation

XelBob-tab est un script conçu en collaboration avec **Bob's & Co**, qui s'adresse aux propriétaires de serveurs FiveM. Ce script a pour objectif d'afficher des sites internet directement sur votre serveur. Vous avez la possibilité de configurer plusieurs sites web à afficher et de restreindre l'accès en fonction du métier du joueur, ajoutant ainsi une dimension réaliste à votre serveur.

De plus, **XelBob-tab** offre une fonctionnalité optionnelle : l'affichage en temps réel de la météo sur la tablette en jeu. Cette fonctionnalité est accessible uniquement si vous utilisez le script [easytime](#).



FR

Installation

Pour télécharger le script, rendez-vous sur : [Xelyos | Bobs&Co | Tablet \(tebex.io\)](#)

Dans votre répertoire `ressources`, glissez et déposez le fichier `XelBob-tab`.

Dans votre fichier `server.cfg`, activez la ressource en ajoutant la ligne :

```
ensure XelBob-tab
```

La modification du nom de la ressource provoquera un dysfonctionnement de la tablette

Une fois que la tablette est correctement installée, lorsque vous lancez votre serveur, ceci devrait apparaître dans votre console :

```
[ c-scripting-core ] Creating script environments for XelBob-tab
[ script:XelBob-tab ] =====
[ script:XelBob-tab ] [Author] : Xelyos | Bob's&Co
[ script:XelBob-tab ] [Version] : 2.0.0
[ script:XelBob-tab ] [Access] : Authorized
[ script:XelBob-tab ] =====
```

Fichier de configuration

ESX Version

```
-- ESX Version
Config.versionESX = 'new' --[[
    'old' (Esx 1.1).
    'new' (Esx 1.2, v1 final, legacy or extendedmode).
]]
```

Définissez la version ESX

Définir le langage pour le temps

```
Config.Locale = 'fr' -- en/fr
```

Lier une commande pour l'ouverture de la tablette

```
Config.Command = 'tablet' -- Set nil to disabled command !
Config.CommandDescription = 'Open tablet'
```

Vous pouvez définir une commande pour l'ouverture de la tablette. Si vous souhaitez désactiver l'ouverture par commande, mettez `nil`.

Attacher un item à l'utilisation de la tablette

```
Config.Item = 'xelyos_bob_tablet' -- Set nil to disabled item !
```

Vous pouvez rattacher l'ouverture de la tablette par l'utilisation d'un item, pour ne pas lié la tablette à un item, mettez nil.

Configuration des sites

Ajouter un site

- Pour ajouter les sites, vous devez modifier le fichier `nui/assets/config.js`
- Ajouter une ligne dans le tableau `config.sites`

Format de la ligne :

```
{  
  name: "Nom affiché sur la tablette",  
  icon: "img/mon_image.png",  
  href: "nom_unique",  
  url: "url vers le site internet"  
}
```

Attention, le **href** doit être unique et ne peut pas être mis sur un autre site !

Exemple

Avant :

```
const config = {  
  sites : [  
    { name: 'Xelyos', icon: 'img/xelyos.png', href: 'xelyosapp', url:  
"https://xelyos.fr" },  
    { name: 'Mail RP', icon: 'img/mailrp.png', href: 'mailrpapp', url: "https://mail-  
rp.com" },  
    { name: 'Top Serveur', icon: 'img/top-serveur.png', href: 'topserveurapp', url:  
"https://top-serveurs.net" },  
    { name: 'COP app', icon: 'img/lspd.png', href: 'copapp', url: "https://intranet-  
lspd.xelyos.fr" },  
    { name: 'SECOURS app', icon: 'img/samu.png', href: 'secoursapp', url:  
"https://intranet-ems.xelyos.fr" },  
  ]  
}
```

```
};
```

Nouveau site :

```
{  
  name: "Intranet Xelyos",  
  icon: "img/intranet.png",  
  href: "intranetxelyos",  
  url: "http://intranet-rp.com"  
}
```

Après :

```
const config = {  
  sites : [  
    { name: 'Xelyos', icon: 'img/xelyos.png', href: 'xelyosapp', url:  
"https://xelyos.fr" },  
    { name: 'Mail RP', icon: 'img/mailrp.png', href: 'mailrpapp', url: "https://mail-  
rp.com" },  
    { name: 'Top Serveur', icon: 'img/top-serveur.png', href: 'topserveurapp', url:  
"https://top-serveurs.net" },  
    { name: 'COP app', icon: 'img/lspd.png', href: 'copapp', url: "https://intranet-  
lspd.xelyos.fr" },  
    { name: 'SECOURS app', icon: 'img/samu.png', href: 'secoursapp', url:  
"https://intranet-ems.xelyos.fr" },  
    { name: "Intranet Xelyos", icon: "img/intranet.png", href: "intranetxelyos", url:  
"http://intranet-rp.com" },  
  ]  
};
```

- L'image liée à votre site doit se situer dans le répertoire `nui/img`

Changer la couleur de fond

- Vous pouvez également changer la couleur de fond en ajoutant/modifiant le fichier `nui/assets/color.css`

```
.application > #num_unique {  
  background: #37517e;  
  background: linear-gradient(to right, #37517e, #142747);  
}
```

Limiter l'accès à un site pour un job

Pour restreindre l'accès à un site pour un job, vous devez modifier le fichier `nui/assets/config.js`.

Format de la restriction :

```
{  
  job_name: "nom_du_job",  
  sites: [  
    { name: 'COP app', icon: 'img/lspd.png', href: 'copapp', url: "https://intranet-  
lspd.xelyos.fr" }  
  ]  
}
```

Attention, la ligne présente dans le tableau **sites** doit être identique à celle présente dans la variable `config.sites` !

Exemple

Variable avec tous les sites :

```
const config = {  
  sites : [  
    { name: 'Xelyos', icon: 'img/xelyos.png', href: 'xelyosapp', url:  
"https://xelyos.fr" },  
    { name: 'Mail RP', icon: 'img/mailrp.png', href: 'mailrpapp', url: "https://mail-  
rp.com" },  
    { name: 'Top Serveur', icon: 'img/top-serveur.png', href: 'topserveurapp', url:  
"https://top-serveurs.net" },  
    { name: 'COP app', icon: 'img/lspd.png', href: 'copapp', url: "https://intranet-
```

```
lspd.xelyos.fr" },
    { name: 'SECOURS app', icon: 'img/samu.png', href: 'secoursapp', url:
"https://intranet-ems.xelyos.fr" },
    { name: "Intranet Xelyos", icon: "img/intranet.png", href: "intranetxelyos", url:
"http://intranet-rp.com" },
  ]
};
```

Variable avec la restriction :

```
const jobSites = [
  {
    job_name: "police",
    sites: [
      { name: 'COP app', icon: 'img/lspd.png', href: 'copapp', url:
"https://intranet-lspd.xelyos.fr" },
      { name: "Intranet Xelyos", icon: "img/intranet.png", href: "intranetxelyos",
url: "http://intranet-rp.com" },
    ]
  },
  {
    job_name: "ambulance",
    sites: [
      { name: 'SECOURS app', icon: 'img/samu.png', href: 'secoursapp', url:
"https://intranet-ems.xelyos.fr" },
      { name: "Intranet Xelyos", icon: "img/intranet.png", href: "intranetxelyos",
url: "http://intranet-rp.com" },
    ]
  }
];
```

Avec cette configuration :

- Le site **Intranet Xelyos** sera accessible par les jobs police et ambulance
- Le site **Cop App** sera uniquement accessible par le job police
- Le site **Secours App** sera uniquement accessible par le job ambulance

FR

Configurer l'affichage de la météo easytime

La tablette permet d'afficher sur sa page d'accueil la météo actuelle.

Pour utiliser cette fonctionnalité, vous devez utiliser le script : [cd_easytime](#)

Configurer la fonctionnalité

Activer ou désactiver l'affichage

```
Config.easytime = true -- true/false
```

Vous pouvez décider d'utiliser ou non cette fonctionnalité. En mettant **false**, l'affichage ne se fera pas !

Changer l'icone

```
Config.weatherIcons = {  
  CLOUDS = 'weather-icon fas fa-cloud-sun',  
  RAIN = 'weather-icon fas fa-cloud-rain',  
  CLEAR = 'weather-icon fas fa-sun',  
  OVERCAST = 'weather-icon fas fa-cloud-sun',  
  EXTRASUNNY = 'weather-icon fas fa-sun',  
  CLEARING = 'weather-icon fas fa-sun',  
  NEUTRAL = 'weather-icon fas fa-sun',  
  THUNDER = 'weather-icon fas fa-bolt',  
  SMOG = 'weather-icon fas fa-smog',  
  FOGGY = 'weather-icon fas fa-smog',  
  SNOWLIGHT = 'weather-icon fas fa-snowflake',  
  SNOW = 'weather-icon fas fa-snowflake',  
  BLIZZARD = 'weather-icon fas fa-snowflake',
```

```
XMAS = 'weather-icon fas fa-snowflake',  
HALLOWEEN = 'weather-icon fas fa-cloud-moon',  
}
```

- Les icônes que nous utilisons sont ceux de **Font Awesome**.
- Pour remplacer une icône, changer le texte après `weather-icon` avec la nouvelle icône

Attention, certaines icônes ne fonctionnent pas !

Changer la couleur de l'icône

- Pour modifier la couleur d'une icône, rendez-vous dans : `nui/assets/color.css`

```
.icon-name, .icon-2-name {  
    color:rgb(85, 85, 85);  
    text-shadow: 0 0 10px black; /* Ajoute un contour noir de 2 pixels autour de l'icône */  
}
```

Changer le gif en background

```
Config.weatherGif = {  
    CLOUDS = "background: url('https://i.gifer.com/1427.gif') center/cover;",  
    RAIN = "background: url('https://i.gifer.com/73j4.gif') center/cover;",  
    CLEAR = "background: url('https://i.gifer.com/Lx0q.gif') center/cover;",  
    OVERCAST = "background: url('https://stormandsky.com/gif/11.gif') center/cover;",  
    EXTRASUNNY = "background: url('https://stormandsky.com/gif/15.gif') center/cover;",  
    CLEARING = "background: url('https://stormandsky.com/gif/11.gif') center/cover;",  
    NEUTRAL = "background: url('https://stormandsky.com/gif/11.gif') center/cover;",  
    THUNDER = "background: url('https://i.gifer.com/DMI.gif') center/cover;",  
    SMOG = "background: url('https://i.gifer.com/7JyC.gif') center/cover;",  
    FOGGY = "background: url('https://i.gifer.com/IJNu.gif') center/cover;",  
    SNOWLIGHT = "background: url('https://stormandsky.com/gif/11.gif') center/cover;",  
    SNOW = "background: url(' https://i.gifer.com/3g5.gif') center/cover;",  
    BLIZZARD = "background: url('https://stormandsky.com/gif/11.gif') center/cover;",  
    XMAS = "background: url('https://stormandsky.com/gif/11.gif') center/cover;",  
    HALLOWEEN = "background: url('https://i.gifer.com/AdL.gif') center/cover;",  
}
```

Vous pouvez changer le gif présent en background en fonction du temps. Pour cela, il vous suffit de remplacer l'URL présent dans `url()`.

Lien vers des gifs disponibles : [**Looping Storm gif \(stormandsky.com\)**](#)

EN

EN

Presentation

XelBob-tab is a script designed in collaboration with [Bob's & Co](#), aimed at FiveM server owners. The purpose of this script is to display websites directly on your server. You have the possibility to configure multiple websites to be displayed and restrict access based on the player's job, adding a realistic dimension to your server.

Furthermore, **XelBob-tab** offers an optional feature: real-time weather display on the in-game tablet. This feature is accessible only if you use the [easytime](#) script.



EN

Installation

To download the script, go to: [Xelyos | Bobs&Co | Tablet \(tebex.io\)](#)

In your `resources` directory, drag and drop the `XelBob-tab` file.

In your `server.cfg` file, activate the resource by adding the line:

```
ensure XelBob-tab
```

Modifying the resource name will cause the tablet to malfunction

Once the tablet is correctly installed, when you start your server, this should appear in your console:

```
[ c-scripting-core ] Creating script environments for XelBob-tab
[ script:XelBob-tab ] =====
[ script:XelBob-tab ] [Author] : Xelyos | Bob's&Co
[ script:XelBob-tab ] [Version] : 2.0.0
[ script:XelBob-tab ] [Access] : Authorized
[ script:XelBob-tab ] =====
```

Configuration file

ESX Version

```
-- ESX Version
Config.versionESX = 'new' --[[
    'old' (Esx 1.1).
    'new' (Esx 1.2, v1 final, legacy or extendedmode).
]]
```

Set the ESX version

Set the language for time

```
Config.Locale = 'en' -- en/fr
```

Bind a command for tablet opening

```
Config.Command = 'tablet' -- Set nil to disabled command!
Config.CommandDescription = 'Open tablet'
```

You can set a command for tablet opening. If you want to disable the command opening, set it to `nil`.

Attach an item to tablet usage

```
Config.Item = 'xelyos_bob_tablet' -- Set nil to disabled item!
```

You can attach tablet opening to the usage of an item. To not bind the tablet to an item, set it to `nil`.

Web site configuration

Add a Site

- To add sites, you need to modify the file `nui/assets/config.js`
- Add a line in the `config.sites` array

Line Format:

```
{  
  name: "Name displayed on the tablet",  
  icon: "img/your_image.png",  
  href: "unique_name",  
  url: "website_url"  
}
```

Warning, the **href** must be unique and cannot be used on another site!

Example

Before:

```
const config = {  
  sites : [  
    { name: 'Xelyos', icon: 'img/xelyos.png', href: 'xelyosapp', url:  
"https://xelyos.fr" },  
    { name: 'Mail RP', icon: 'img/mailrp.png', href: 'mailrpapp', url: "https://mail-  
rp.com" },  
    { name: 'Top Serveur', icon: 'img/top-serveur.png', href: 'topserveurapp', url:  
"https://top-serveurs.net" },  
    { name: 'COP app', icon: 'img/lspd.png', href: 'copapp', url: "https://intranet-  
lspd.xelyos.fr" },  
    { name: 'SECOURS app', icon: 'img/samu.png', href: 'secoursapp', url:  
"https://intranet-ems.xelyos.fr" },  
  ]  
}
```

```
};
```

New Site:

```
{  
  name: "Intranet Xelyos",  
  icon: "img/intranet.png",  
  href: "intranetxelyos",  
  url: "http://intranet-rp.com"  
}
```

After:

```
const config = {  
  sites : [  
    { name: 'Xelyos', icon: 'img/xelyos.png', href: 'xelyosapp', url:  
"https://xelyos.fr" },  
    { name: 'Mail RP', icon: 'img/mailrp.png', href: 'mailrpapp', url: "https://mail-  
rp.com" },  
    { name: 'Top Serveur', icon: 'img/top-serveur.png', href: 'topserveurapp', url:  
"https://top-serveurs.net" },  
    { name: 'COP app', icon: 'img/lspd.png', href: 'copapp', url: "https://intranet-  
lspd.xelyos.fr" },  
    { name: 'SECOURS app', icon: 'img/samu.png', href: 'secoursapp', url:  
"https://intranet-ems.xelyos.fr" },  
    { name: "Intranet Xelyos", icon: "img/intranet.png", href: "intranetxelyos", url:  
"http://intranet-rp.com" },  
  ]  
};
```

- The image linked to your site must be located in the `nui/img` directory

Change the Background Color

- You can also change the background color by adding/modifying the `nui/assets/color.css` file

```
.application > #unique_number {  
  background: #37517e;  
  background: linear-gradient(to right, #37517e, #142747);  
}
```

Limit Access to a Site for a Job

To restrict access to a site for a job, you need to modify the file `nui/assets/config.js`.

Restriction Format:

```
{  
  job_name: "job_name",  
  sites: [  
    { name: 'COP app', icon: 'img/lspd.png', href: 'copapp', url: "https://intranet-  
lspd.xelyos.fr" }  
  ]  
}
```

Warning, the line in the **sites** array must be identical to the one in the `config.sites` variable!

Example

Variable with all sites:

```
const config = {  
  sites : [  
    { name: 'Xelyos', icon: 'img/xelyos.png', href: 'xelyosapp', url:  
"https://xelyos.fr" },  
    { name: 'Mail RP', icon: 'img/mailrp.png', href: 'mailrpapp', url: "https://mail-  
rp.com" },  
    { name: 'Top Serveur', icon: 'img/top-serveur.png', href: 'topserveurapp', url:  
"https://top-serveurs.net" },  
    { name: 'COP app', icon: 'img/lspd.png', href: 'copapp', url: "https://intranet-  
lspd.xelyos.fr" },
```

```
    { name: 'SECOURS app', icon: 'img/samu.png', href: 'secoursapp', url:
"https://intranet-ems.xelyos.fr" },
    { name: "Intranet Xelyos", icon: "img/intranet.png", href: "intranetxelyos", url:
"http://intranet-rp.com" },
  ]
};
```

Variable with the restriction:

```
const jobSites = [
  {
    job_name: "police",
    sites: [
      { name: 'COP app', icon: 'img/lspd.png', href: 'copapp', url:
"https://intranet-lspd.xelyos.fr" },
      { name: "Intranet Xelyos", icon: "img/intranet.png", href: "intranetxelyos",
url: "http://intranet-rp.com" },
    ]
  },
  {
    job_name: "ambulance",
    sites: [
      { name: 'SECOURS app', icon: 'img/samu.png', href: 'secoursapp', url:
"https://intranet-ems.xelyos.fr" },
      { name: "Intranet Xelyos", icon: "img/intranet.png", href: "intranetxelyos",
url: "http://intranet-rp.com" },
    ]
  }
];
```

With this configuration:

- The site **Intranet Xelyos** will be accessible for the police and ambulance jobs
- The site **COP App** will only be accessible for the police job
- The site **Secours App** will only be accessible for the ambulance job

Configure the easytime weather display

The tablet allows displaying the current weather on its home page.

To use this feature, you need to use the script: [cd_easytime](#)

Configure the Feature

Enable or Disable Display

```
Config.easytime = true -- true/false
```

You can decide whether to use this feature or not. By setting it to **false**, the display will not occur!

Change the Icon

```
Config.weatherIcons = {  
  CLOUDS = 'weather-icon fas fa-cloud-sun',  
  RAIN = 'weather-icon fas fa-cloud-rain',  
  CLEAR = 'weather-icon fas fa-sun',  
  OVERCAST = 'weather-icon fas fa-cloud-sun',  
  EXTRASUNNY = 'weather-icon fas fa-sun',  
  CLEARING = 'weather-icon fas fa-sun',  
  NEUTRAL = 'weather-icon fas fa-sun',  
  THUNDER = 'weather-icon fas fa-bolt',  
  SMOG = 'weather-icon fas fa-smog',  
  FOGGY = 'weather-icon fas fa-smog',  
  SNOWLIGHT = 'weather-icon fas fa-snowflake',  
  SNOW = 'weather-icon fas fa-snowflake',  
  BLIZZARD = 'weather-icon fas fa-snowflake',
```

```
XMAS = 'weather-icon fas fa-snowflake',  
HALLOWEEN = 'weather-icon fas fa-cloud-moon',  
}
```

- The icons we use are from [Font Awesome](#).
- To replace an icon, change the text after `weather-icon` with the new icon.

Warning, some icons do not work!

Change the Icon Color

- To change the color of an icon, go to: `nui/assets/color.css`

```
.icon-name, .icon-2-name {  
    color:rgb(85, 85, 85);  
    text-shadow: 0 0 10px black; /* Add a 2-pixel black outline to the icon */  
}
```

Change the GIF in the Background

```
Config.weatherGif = {  
    CLOUDS = "background: url('https://i.gifer.com/1427.gif') center/cover;",  
    RAIN = "background: url('https://i.gifer.com/73j4.gif') center/cover;",  
    CLEAR = "background: url('https://i.gifer.com/Lx0q.gif') center/cover;",  
    OVERCAST = "background: url('https://stormandsky.com/gif/11.gif') center/cover;",  
    EXTRASUNNY = "background: url('https://stormandsky.com/gif/15.gif') center/cover;",  
    CLEARING = "background: url('https://stormandsky.com/gif/11.gif') center/cover;",  
    NEUTRAL = "background: url('https://stormandsky.com/gif/11.gif') center/cover;",  
    THUNDER = "background: url('https://i.gifer.com/DMI.gif') center/cover;",  
    SMOG = "background: url('https://i.gifer.com/7JyC.gif') center/cover;",  
    FOGGY = "background: url('https://i.gifer.com/IJNu.gif') center/cover;",  
    SNOWLIGHT = "background: url('https://stormandsky.com/gif/11.gif') center/cover;",  
    SNOW = "background: url(' https://i.gifer.com/3g5.gif') center/cover;",  
    BLIZZARD = "background: url('https://stormandsky.com/gif/11.gif') center/cover;",  
    XMAS = "background: url('https://stormandsky.com/gif/11.gif') center/cover;",  
    HALLOWEEN = "background: url('https://i.gifer.com/AdL.gif') center/cover;",  
}
```

You can change the GIF in the background according to the weather. To do this, simply replace the URL in `url()`.

Link to available GIFs: [Looping Storm GIFs \(stormandsky.com\)](https://stormandsky.com)